Product Specifications





L4TDM-PSA

7-16 DIN Male Positive Stop™ for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable

Product Classification

Brand HELIAX® | Positive Stop™
Product Type Wireless and radiating connector

General Specifications

Interface 7-16 DIN Male

Body Style Straight

Brand HELIAX® | Positive Stop™

Harmonized System (HS) Code 854420 (Coaxial cable and other coaxial electric conductors)

Mounting Angle Straight

Ordering Note CommScope® standard product (Global)

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 8800 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -120 dBm @ 910 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 1415.00 V
dc Test Voltage 4000 V
Outer Contact Resistance, maximum 1.50 mOhm
Inner Contact Resistance, maximum 0.80 mOhm
Insulation Resistance, minimum 5000 MOhm
Average Power 1.1 kW @ 900 MHz


Peak Power, maximum 40.00 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -110 dB

Product Specifications



L4TDM-PSA

Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Ring-flare Captivated Inner Contact Attachment Method **Outer Contact Plating** Trimetal Inner Contact Plating Silver Attachment Durability 25 cycles Interface Durability 500 cycles Interface Durability Method IEC 61169-4:9.5 Connector Retention Tensile Force 890 N | 200 lbf Connector Retention Torque 5.42 N-m | 48.00 in lb 200.17 N | 45.00 lbf Insertion Force Insertion Force Method IEC 61169-1:15.2.4 Coupling Nut Proof Torque 25.00 N-m | 221.27 in lb 1000.00 N | 224.81 lbf Coupling Nut Retention Force

Dimensions

Nominal Size 1/2 in

Coupling Nut Retention Force Method

Environmental Specifications

Operating Temperature -55 °C to +85 °C (-67 °F to +185 °F) Storage Temperature -55 °C to +85 °C (-67 °F to +185 °F)

Immersion Depth 1 m

MIL-C-39012C-3.25, 4.6.22

Product Specifications



L4TDM-PSA

Immersion Test Mating Unmated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Unmated

Water Jetting Test Method IEC 60529:2001, IP66

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202, Method 213, Test Condition I

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)	
45-1000 MHz	1.02	39.00	
1010-2200 MHz	1.03	37.00	
2200-3000 MHz	1.05	33.00	
3010-4000 MHz	1.07	29.00	
4010-6000 MHz	1.11	26.00	
6010-8000 MHz	1.15	23.00	

Regulatory Compliance/Certifications

Agency

RoHS 2011/65/EU

China RoHS SJ/T 11364-2006

ISO 9001:2008

Classification

Compliant by Exemption
Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05v freq (GHz) (not applicable for elliptical waveguide)